

Underground Car Park Fluid Separator Dimensions

Fluid Separator for Underground Car Parks up to 45 parking spaces

Article Code	Parking spaces N°	Surface (mq)	Pipes Diam. (mm)	External Dimensions without cover slabs (cm)			Separator Weight (ql)	Cover slab weight (ql)		
				Width	Length	Height		h. 10 cm (B125)	h. 15 cm (C250)	h. 20 cm (D400)
SEP10/20	10/20	500	110	70	70	90	4,3	-	-	-
SEP30	30	750	110	90	90	75	4,3	-	-	-
SEP40	40	1.000	110	90	90	100	5,6	-	-	-
SEP45	45	1.125	125	100	100	100	6,4	2,5	3,7	5,0

The data reported is purely indicative

Mineral Oil and Fluid Separator for Covered Parking Facilities up to 500 parking spaces (excluding surface exposed to rain)

Article Code	Parking spaces N°	Surface (mq)	Pipes Diam. (mm)	External Dimensions without cover slabs (cm)			Separator Weight (ql)	Cover slab weight (ql)		
				Width	Length	Height		h. 10 cm (B125)	h. 15 cm (C250)	h. 20 cm (D400)
SEP50	50	1.250	125	125	130	100	11,8	4,0	6,1	8,1
SEP60	60	1.500	125	125	130	150	15,6	4,0	6,1	8,1
SEP70	70	1.750	125	125	180	150	19,6	5,6	8,4	11,2
SEP100	100	2.500	125	175	180	130	21,7	7,8	11,7	15,6
SEP120	120	3.000	125	175	180	150	23,8	7,8	11,7	15,6
SEP150	150	3.750	160	180	240	150	47,1	10,7	16,1	21,5
SEP200	200	5.000	160	180	300	150	55,7	13,4	20,1	26,8
SEP250	250	6.250	200	246	270	200	78,3	16,5	24,7	33,0
SEP300	300	7.500	200	246	320	200	88,2	19,6	29,3	39,1
SEP400	400	10.000	200	246	370	200	98,1	22,6	33,9	45,2
SEP500	500	12.500	250	246	420	200	108,0	25,7	38,5	51,3

The data reported is purely indicative